

URZĄD DOZORU TECHNICZNEGO

ANNEX

TO THE CERTIFICATE OF CONFORMITY OF THE FACTORY PRODUCTION CONTROL

No. 1433-CPR-0261

Edition I of 04.09.2025

1) Type of construction products:

Structural metallic products and ancillaries.

Steel structural components in execution classes: EXC1, EXC2, EXC3 according to PN-EN 1090-2+A1:2024-10, method 1, 3a acc. to Annex A to PN-EN 1090-1+A1:2012.

2) Reference technical specifications:

PN-EN 1090-1+A1:2012 Execution of steel structures and aluminium structures - Part 1:
Requirements for conformity assessment of structural components.

PN-EN 1090-2+A1:2024-10 Execution of steel structures and aluminium structures - Part 2:
Technical requirements for steel structures.


3) Parent materials according to the specification:

Material	Material group according to ISO/TR 15608	Material specifications
Non alloy structural steels	1.1 1.2	Table 2 Table 3 according to PN-EN 1090-2
Austenitic stainless steels	8.1	Table 4 according to PN-EN 1090-2

4) Provisions concerning the continuous surveillance of the factory production control are set out in the Agreement No. 103049/JN/2025 of 02.06.2025 on the factory production control certification.

5) The certificate becomes invalid if the obligations resulting from the Agreement No. 103049/JN/2025 of 02.06.2025 on the factory production control certification are not met.

Acting Director of Certification and Conformity
Assessment Department


Janusz Kuźnik